



**2017 CATALOG**



Heroes aren't born, they're made. At Rasco FR, we have tasked ourselves with clothing and protecting the many heroes who are subject to the dangers of the world as part of their daily work. Our mission is simple yet important: Rasco FR is dedicated to making safety workwear that is safe, comfortable and affordable. Our core belief is that safety comes first and that it should always be affordable. It is our steadfast dedication to this belief that makes Rasco FR

## FIRST IN SAFETY®

Over the past year, Rasco FR has been busy putting together an all-star combination of new fabrics and garments that we are excited to share with you in this catalog. Our garments are specially designed to protect workers from electric arc flashes and flash fire hazards, and are guaranteed to be flame resistant for the useful life of the garment provided that the clothing care instructions are followed. Rasco FR has been making workwear since 1988 and FR workwear since 2001. Our factory is ISO 9001 certified, which guarantees top quality.

# Table of Contents

04	Safety Standards
06	Henley Shirts
08	Work Shirts
10	Plaid Shirts
11	Chambray/Polo Shirts
12	Uniform Shirts & Pants
13	Field Pants
14	Jeans
15	Carpenter Pants
16	Women's Workwear
19	Reflective Work Shirts
20	Flameshield Lite
21	Flameshield Aramid
22	AirWeave Shirts
23	Bib Overalls
24	Coveralls
28	Hi Visibility
30	Outerwear
37	Labcoat/Welding Smock
38	Winter Headgear
40	Welding Caps
41	Welding Umbrellas
42	Welding Aprons
43	Hi Visibility FR Rain Gear
44	Non FR Work Shirts
45	Non FR Hi Vis Vest
46	Non FR Caps & Doo Rags
48	Size Charts
50	Embroidery & Customization
51	Rasco Distributor Resources



# Safety Standards Legend

- 1 Category 1 Protection**  
Arc-rated FR garments with a required minimum ATPV of 4 cal/cm<sup>2</sup> as determined by ASTM F1959.
- 2 Category 2 Protection**  
Arc-rated FR garments with a required minimum ATPV of 8 cal/cm<sup>2</sup> as determined by ASTM F1959.
- 3 Category 3 Protection**  
Arc-rated FR garments with a required minimum ATPV of 25 cal/cm<sup>2</sup> as determined by ASTM F1959.
- 4 Category 4 Protection**  
Arc-rated FR garments with a required minimum ATPV of 40 cal/cm<sup>2</sup> as determined by ASTM F1959.



## NFPA 2112 - Certified By UL

Rasco FR offers flame resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA 2112 Standard on Flame Resistant Garments for protection of Industrial Personnel Against Flash Fire, 2012 Edition. UL has certified that Rasco FR garments are compliant with NFPA 2112 after 100 industrial washes.



## ASTM F1506 - Certified By UL

ASTM F1506, 2010A Standard Performance Specification for Flame Resistant and Arc Rated Textile Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards requires a sample of flame resistant fabric to self extinguish with a less than 2 second after flame and a less than 6 inch char length. The FR fabric must also pass these requirements after 25 washes/dry cleaning. Rasco FR garments are certified by Underwriters Laboratories to meet the requirements of ASTM F1506, 2010A.



## ANSI/ISEA 107-2010

The American National Standard for High-Visibility Safety Apparel and Headwear (ANSI/ISEA 107-2010) provides guidelines for the selection and use of high-visibility safety apparel to improve worker visibility during the day, in low-light conditions and at night. Certain Rasco FR garments are designed to be compliant with ANSI 107-2010.

## NFPA 70E

Requires employees to wear flame resistant clothing with an ATPV, or cal rating, equal to or greater than the determined arc hazard. Rasco FR garments are marked with an ATPV rating so that they can be worn to meet NFPA 70E standards.

## OSHA 1910.269(I)(6)(iii)

Rasco FR garments are compliant with OSHA 1910.269(I)(6)(iii).

# Rasco FR Fabric Guide



Use our fabric guide below to help you select the optimal Rasco FR fabric for any situation. Our comprehensive range of options guarantees a fit for a wide variety of safety applications.

---

## **Flameshield** - 100% Cotton.

Our Flameshield cotton fabrics offer the comfort of cotton with the benefits of flame resistant protection. Flameshield fabrics are specially designed to guarantee flame resistance for the useful life of the garment. Rasco FR Flameshield is recommended for flame cutting, welding, foundries, electrical utilities and the chemical, oil, gas and petrochemical industries.

## **Flameshield Comfort** - 88% Cotton, 12% Nylon.

Our Flameshield Comfort fabrics combine the comfort of cotton with the added durability of nylon. Flameshield Comfort fabrics are specially designed to guarantee flame resistance for the useful life of the garment. Rasco FR Flameshield Comfort is recommended for foundries, electrical utilities, and the chemical, oil, gas and petrochemical industries.

## **Flameshield Lite** - 49% Aramid, 49% Lenzing, 2% Anti-Static Fiber.

Our Flameshield Lite blended inherent fabrics are specially designed to provide the utmost comfort along with durability and flame resistant protection. Rasco FR garments constructed with Flameshield Lite are recommended for electrical utilities and the chemical, oil, gas and petrochemical industries, particularly for workers in hot climates.

## **Flameshield Aramid** - 93% Meta-Aramid, 5% Para-Aramid, 2% Anti-Static Fiber.

Our Flameshield Aramid blended inherent fabrics are designed to be breathable, lightweight and inherently flame resistant. Rasco FR garments constructed with Flameshield Aramid are recommended for petrochemical and refinery environments as well as electric and gas utility industries.

## **AirWeave** - 93% Meta-Aramid, 5% Para-Aramid, 2% Anti-Static Fiber.

AirWeave is a Nomex fabric by Westex Milliken that is specially designed to create 40% more airflow than normal Nomex with all of the same flame resistant protections. AirWeave provides optimized moisture management, makes FR fabric more breathable and unbeatable tear resistance.

## **FR High Visibility**

Rasco FR offers several options for flame resistant garments designed to provide additional safety during periods of limited visibility. Our FR High Visibility garments are particularly recommended for work situations involving traffic control, construction and utility work along roadways.

## **FR High Visibility Rainwear**

Rasco FR now offers flame resistant high visibility rainwear that protects from the elements of wind and rain, while also providing FR protection and the additional safety during limited visibility. Rasco FR's High Visibility Rainwear is suitable for a wide range of industries that are exposed to such risks.

# Henley T-Shirt

7.1 oz pre-washed FR knit Flameshield henley with 3 button front and left chest pocket gives you 24/7 comfort in 11 different styles. S-5XL. 6XL available in Navy, Khaki & Black.

  **2** (ATPV 10 cal/cm<sup>2</sup>)



Work Blue WBF461

White WTF456

Woodland Camo CNF462

Orange OTF455

Green GRF460

Khaki KTF452

Navy NTF453

Red RTF459

Cajun Camo CMF458

Gray GTF454

Black BTF457

# Two Tone Henley

7.1 oz pre-washed FR knit Flameshield two tone henley with 3 button front. Long sleeve baseball tee style. S-5XL

  **2** (ATPV 10 cal/cm<sup>2</sup>)



**Gray/Black GBT464**



**Khaki/Navy KNT465**



# Work Shirts

Lightweight 7.5 oz FR twill Flameshield & 8.5 oz FR denim.  
Heavyweight 10 oz FR twill Flameshield, 10 oz FR duck & 11.5 oz FR denim.  
Two chest pockets with flap & snap closure. Three snap cuffs with sleeve vent. FRB1201 has FR buttons instead of snaps.  
*M-3XL regular & long. 4XL-5XL long only. Small available in FR750, DFR751, FR1200 & DFR1210.*

   (8.5 oz FR denim ATPV 9.2 cal/cm<sup>2</sup>) (7.5 oz FR twill 9.8 cal/cm<sup>2</sup>)  
(10 oz brown duck ATPV 13 cal/cm<sup>2</sup>) (10 oz FR twill 14 cal/cm<sup>2</sup>)

- Work Blue WR753** 7.5oz
- Orange OFR752** 7.5oz
- Red RR756** 7.5oz
- Denim DFR751** 8.5oz
- Khaki FR750** 7.5oz
- Gray GR754** 7.5oz
- Camo CN757** 7.5oz
- Navy NR755** 7.5oz
- Brown Duck DDF1008** 10oz
- Gray GFR1014** 10oz
- Khaki FR1200** 10oz
- Green GGF1009** 10oz
- Denim DFR1210** 11.5oz
- Khaki FRB1201** 10oz  
Buttons instead of snaps
- Navy NFR1015** 10oz



# Two Tone Work Shirts

10 oz pre-washed FR twill Flameshield & FR duck.  
11.5 oz pre-washed FR denim. 7.5 oz FR twill Flameshield in KC758.  
Two chest pockets with flap & snap closure. Three snap cuffs with sleeve vent.  
*M-3XL regular. M-5XL long.*

-    (7.5 oz FR twill cotton ATPV 9.8 cal/cm<sup>2</sup>)  
(10 oz brown duck ATPV 13 cal/cm<sup>2</sup>)  
(10 oz FR twill cotton ATPV 14 cal/cm<sup>2</sup>)  
(11.5 oz FR denim ATPV 20 cal/cm<sup>2</sup>)

**Denim-Duck FDD2000**

**Khaki-W-Camo KC758**

**Khaki-Denim KDF2002**

**Khaki-C-Camo FKC2004**

**Khaki-Duck FKD2001**

**Khaki-Green FKG2003**





Gray & White  
GPS764

# Plaid Shirts

7.7 oz pre-washed FR Flameshield. Two chest pockets. Button front with FR buttons. Three snap cuffs with sleeve vent.  
*M-3XL regular. M-5XL long.*

  **2** (ATPV 10 cal/cm<sup>2</sup>)

**Green Plaid**  
PLG755



**Red Plaid**  
PLR756



**Blue Plaid**  
PLB762



**Red & Black**  
PBR763



# Chambray Shirt

6 oz FR cotton work shirt with button down front & two button close chest pockets. Vintage chambray offering style and comfort.  
*M-3XL regular. M-5XL long.*

   (ATPV 8.1 cal/cm<sup>2</sup>)



Chambray CBF703

# Long Sleeve Polo

9.2 oz pre-washed modacrylic knit. 45% modacrylic, 35% Lenzing Tencel, 18% Aramid and 2% Anti-Static Fabric. Three button front with ribwork at cuffs.  
*S-5XL*



Navy M-NLS320

# Uniform Shirts & Pants



**Khaki FRB757**



**Gray GFB750**

Shirts & pants made from 7.5 oz pre-washed FR twill Flameshield. Shirts feature two chest pockets. Button front with FR buttons. Three snap cuffs with sleeve vent. Pants feature two slack style front & back pockets. Tapered leg for comfortable fit. *M-3XL regular. M-5XL long. Small available in FRB757 & GFB750. Waist: 30-36, 38-50" evens. Inseam: 30-36" evens.*

   (ATPV 9.8 cal/cm<sup>2</sup>)



**Navy NPF751**



**Khaki KPF750**



**Navy NFB761**

# Field Pants

7.5 oz pre-washed FR twill Flameshield. Double stitched main seams with reinforced seat & knees. Elastic waistband with FR buttons. 7 pocket design.

*Waist: 30-52" evens Inseam: 30-36" evens*

CLASSIFIED   2 (ATPV 9.8 cal/cm<sup>2</sup>)



**Khaki KPP2013**



**Navy NPP2014**





# Denim Jeans

11.5 oz & 14 oz FR denim. Two front pockets with coin pocket on right side. Two reinforced back pockets. Classic fit available in both weights, relaxed fit available in 11.5 oz.

*Waist: 30-36, 38-58" evens Inseam: 30-36" evens*



2

(RJFR1150 ATPV 15.2 cal/cm<sup>2</sup>)

(JFR1211 & JFR1210 ATPV 20 cal/cm<sup>2</sup>)



**11.5 oz Classic Fit JFR1211  
14 oz Classic Fit JFR1210**



**11.5 oz Relaxed Fit RJFR1150**

# Carpenter Pants

10 oz FR twill Flameshield, 10 oz FR duck and 11.5 oz FR denim.  
Double tool cargo pockets on right leg. Hammer loop & ruler  
pocket on left leg. Triple stitched main seams. Pre-washed. Boot  
cut opening. *Waist: 30-36, 38-58" evens Inseam: 30-36" evens*


  **2** (Duck ATPV 13 cal/cm<sup>2</sup>) (Twill ATPV 14 cal/cm<sup>2</sup>) (Denim ATPV 20 cal/cm<sup>2</sup>)



**Khaki CFR1202**



**Denim FRC1212**



**Green Duck CGF1216**



**Black Duck CBK1217**



**Brown Duck  
CBF1215**

Sage Green W-SG758

# Women's Work Shirts

7.5 oz FR twill Flameshield, 7.7 oz FR plaid & 8.5 oz FR denim make our line of fitted women's work shirts. Two chest pockets with flap & snap closure and two snap cuffs with sleeve vents.

S-3XL



2

(Denim ATPV 9.2 cal/cm<sup>2</sup>) (Twill ATPV 9.8 cal/cm<sup>2</sup>)

(FR Plaid ATPV 10 cal/cm<sup>2</sup>)



Denim W-DFR751



Plum W-PK759



Khaki W-FR750  
Work Blue W-WR753



Blue Plaid W-PLB762

# Women's Henley

Our 7.1 oz pre-washed FR Flameshield henley is now available in a tapered women's fit. Navy features a 2 button neck. Two tone camo features a classic v-neck. Comfort, style & safety combined.

S-3XL

   (ATPV 10 cal/cm<sup>2</sup>)



Woodland Camo/Khaki W-CKF463



Navy W-NTF453





# Women's Work Pants

11.5 oz pre-washed FR denim jeans. 7.5 oz FR twill Flameshield pants. Relaxed fit & tapered leg with 2 front quarter top pockets. Boot cut design to fit over work boots.

*Waist: 0-17" odds Inseam 30-36" evens*

  **2** (FR Twill ATPV 9.8 cal/cm<sup>2</sup>) (FR Denim ATPV 20 cal/cm<sup>2</sup>)



**Khaki W-KPF750**



**Navy W-NPF751**



**Denim W-JFR1211**

# Reflective Henley & Work Shirts

Henley: 7.1 oz FR knit Flameshield. Work Shirt: 7.5 oz FR twill Flameshield.  
Two inch yellow/silver/yellow reflective contrasting tape. Same pattern sewn on front & back.

*M-3XL regular. M-5XL long.*

   (Henley ATPV 10 cal/cm<sup>2</sup>) (Work Shirt ATPV 9.8 cal/cm<sup>2</sup>)



**Gray GTF454-S**



**Khaki KTF452-S**



**Navy NTF453-S**



**Gray GR754-S**



**Khaki FR750-S**



**Navy NR755-S**

# Flameshield Lite Shirts

5.01 oz uniform shirts made from FR Flameshield Lite fabric.  
49% meta aramid, 49% cellulose fibers & 2% anti static. 2 chest  
pockets & button down front.  
M-3XL regular. M-5XL long.

 1 (ATPV 5 cal/cm<sup>2</sup>)



Navy  
FL-NWS212

Work Blue  
FL-BWS213

# Flameshield Lite Pants

5.01 oz uniform pants made from FR Flameshield Lite fabric.  
49% meta aramid, 49% cellulose fibers & 2% anti static. Two slack  
style front & back pockets. Tapered leg for comfortable fit.  
*Waist: 30-36, 38-58" evens. Inseam: 30-36" evens*

 1 (ATPV 5 cal/cm<sup>2</sup>)



Navy FL-NWP214

# Aramid Shirts

4.5 oz Flameshield Aramid fabric. Two chest pockets & button down front.

*M-3XL regular. M-5XL long.*



1 (ATPV 7.25 cal/cm<sup>2</sup>)



Navy  
A-NWS212

Work Blue  
A-BWS213

# Aramid Pants

4.5 oz Flameshield Aramid fabric. Two slack style front & back pockets. Tapered leg for comfortable fit.

*Waist: 30-36, 38-58" evens. Inseam: 30-36" evens*



1 (ATPV 7.25 cal/cm<sup>2</sup>)



Navy A-NWP214

# AirWeave Shirts

4.5 oz Flameshield AirWeave fabric. Two chest pockets & button down front.

*M-3XL regular. M-5XL long.*



**Khaki AW-KWS213**



**Gray AW-GWS215**

# Bib Overalls

10 oz FR duck & 11.5 oz FR denim. Double chest pockets with snap closures. Ankle to above knee brass leg zippers with snap closures. Two hammer loops with reinforced back pockets.

*Waist: 30-58" evens Inseam: 30-36" evens*

 (Brown Duck ATPV 13 cal/cm<sup>2</sup>) (Denim ATPV 20 cal/cm<sup>2</sup>)



Denim BODF1219



Brown Duck BOBF1217

Navy  
BFR750



# 7.5 oz Coveralls

7.5 oz pre-washed FR twill Flameshield. Two pass through pockets, 2 hip pockets & two chest pockets with snaps. Left chest pocket with flap & pen slot. Two front snap closures on front. Elastic waist. *Chest: 34-62" evens Inseam: 30-34" evens. KFR751 34-70" evens.*

  **2** (ATPV 9.8 cal/cm<sup>2</sup>)



**Khaki**  
KFR751

**Gray**  
GFF752

**Orange**  
OFF753

**Red**  
RFR754

**Royal Blue**  
RBR755

# 10 oz Coveralls

10 oz pre-washed FR twill Flameshield. Two chest pockets with snaps, left pocket with flap & pen slot. Brass two-way front zipper with FR zipper tape. Elastic waist.

*Chest: 34-62" evens Inseam: 30-34" evens*

   (ATPV 14 cal/cm<sup>2</sup>)



**Navy**  
**BFR900**

**Khaki**  
**KFR901**

**Gray**  
**GFF902**

# Reflective Coveralls

7.5 oz FR twill Flameshield with sewn on FR reflective tape. Two inch yellow/silver/yellow reflective contrasting tape. Front & back visibility with "X" on back.

*Chest: 34-62" evens. Inseam: 30-34" evens.*

  **2** (ATPV 9.8 cal/cm<sup>2</sup>)



**Navy**  
**BFR750-S**



**Khaki**  
**KFR751-S**



**Royal Blue**  
**RBR755-S**

# Flameshield Lite Coveralls

5.01 oz FR Flameshield Lite fabric. 49% meta aramid, 49% cellulose fibers & 2% anti static. Two pass through pockets & two chest pockets with snaps. Elastic waist.  
*Chest: S-5XL. Inseam: 30-34" evens.*

 **1** (ATPV 5 cal/cm<sup>2</sup>)



Navy FL-NCV210



Royal Blue FL-BCV211



Reflective Navy FL-NCV210-S



Reflective Royal Blue FL-BCV211-S



# FR Hi Vis Vest

7.5 oz FR twill Flameshield. FR 2" reflective striping, front & back. 360° visibility. Front zipper closure. ANSI 107-2010 Class 2 Level 2 Compliant.

S-5XL

    (ATPV 9.8 cal/cm<sup>2</sup>)



HYVS770



Back

# Hi Vis Work Shirts

7.5 oz FR twill Flameshield. Two front pockets. Two inch silver reflective contrasting tape on front & back. ANSI 107-2010 Class 2 Level 2 Compliant.

*M-3XL regular. M-5XL long.*

    (ATPV 9.8 cal/cm<sup>2</sup>)



**HYWS759-S**



**Back**

# Hi Vis Coverall

7.5 oz FR twill Flameshield. Two front snap closure pockets. Two inch silver reflective contrasting tape on front & back. ANSI 107-2010 Class 2 Level 3 Compliant.

*Chest: 34-62" evens. Inseam: 30-34" evens.*

    (ATPV 9.8 cal/cm<sup>2</sup>)



**HYCR756-S**

**Back**

Black BLF1154



# Zip Front Hoodie

Our pre-washed 10 oz FR knit Flameshield offers warmth and durability, attached hood with FR draw-cord closure, 2 front hand warmer pockets. Rib knit cuffs & waistband with FR front zipper. **S-5XL**

  **2** (ATPV 17 cal/cm<sup>2</sup>)



**Red RSF1153**



**Woodland Camo CSF1155**



**Gray GSF1152**



**Navy NSF1151**

# Sweatshirts

10 oz pre-washed FR knit Flameshield classic sweatshirt. Pass through hand warmer pocket. Crew neck with rib knit cuffs and waistband.

S-5XL

 (ATPV 17 cal/cm<sup>2</sup>)



Navy NSR2150



Gray GSR2151


# Pullover Hoodie

10 oz pre-washed FR knit Flameshield pullover hoodie. Pass through hand warmer pocket. Attached hood with adjustable drawstrings. Rib knit cuffs and waistband.

S-5XL



(ATPV 17 cal/cm<sup>2</sup>)



Black BHS2260

Navy NHS2261

# Work Vest

10 oz FR Flameshield duck shell.  
10.5 oz insulated lining.

*S-4XL regular & long. 5XL long.*

 **3** (ATPV 38 cal/cm<sup>2</sup>)



**Brown Duck BDV5501**



**Black Duck BLV5502**

# Shirt Jackets

10 oz FR Flameshield duck shell.  
7.5 oz twill lining.

*S-4XL regular & long. 5XL long.*

 **2** (ATPV 20.8 cal/cm<sup>2</sup>)



**Brown Duck BDSJ2323**



**Black Duck BLSJ2324**

# Hooded Jackets

10 oz FR duck, 10 oz FR twill Flameshield or 11.5 oz FR denim outer shell. 7.5 oz twill lining. 3 oz modacrylic insulation. Snap removable hood with adjustable drawcord. Two front pouch pockets with reinforced barracks. FR rib knit cuffs and waistband.  
*S-4XL regular & long. 5XL long.*



③ (Brown & Black Duck ATPV 38 cal/cm<sup>2</sup>)    ④ (Denim, Navy & Camo ATPV 51 cal/cm<sup>2</sup>)



**Brown Duck**  
BJFQ2206



**Denim**  
DJFQ2208



**Cajun Camo**  
CJFQ2209



**Navy**  
NJFQ2210



**Black Duck**  
BKFQ2211



# Field Coats

10 oz pre-washed FR duck or FR twill Flameshield outer shell. 7.5 oz twill lining. 3 oz modacrylic insulation. Two chest pockets & two hip pockets. Interior pocket on left side.  
*S-4XL regular & long. 5XL long.*



③ (Brown ATPV 38 cal/cm<sup>2</sup>) ④ (Navy ATPV 51 cal/cm<sup>2</sup>)



**Brown Duck**  
**BCFQ1213**



**Navy**  
**NCFQ1215**

# Heavy Coat & Bib

10 oz FR duck outer shell. 7.5 oz FR quilted twill lining, 5.7 oz modacrylic insulation. Coat: FR button down front. Two chest pockets & hip pockets. Left interior pocket. Bib: Ankle to knee brass leg zippers. Multiple tool & utility pockets.

Coat: S-4XL reg. 5XL long. Bib: Waist 34-58" evens. Inseam: 30-36" evens.

 4 (ATPV 42 cal/cm<sup>2</sup>)



**Black Duck Coat**  
BLHC2426



## Removable Hood

Included with heavy coat above.  
Replacement hoods available for separate purchase.

**Black Duck Bib**  
BLHB2427




# Reflective Coat & Bib

10 oz FR duck outer shell. 7.5 oz FR quilted twill lining, 5.7 oz modacrylic insulation. Coat: 2 inch yellow/silver/yellow reflective contrasting tape on front & back. 2 chest pockets & hip pockets. Left interior chest pocket. Bib: Two inch yellow/silver/yellow reflective contrasting tape around both legs.

Coat: S-4XL reg. 5XL long. Bib: Waist 34-58" evens. Inseam: 30-36" evens.

 4 (ATPV 42 cal/cm<sup>2</sup>)



**Reflective Black Duck Coat**  
BLHC2426-S

**Reflective Black Duck Bib**  
BLHB2427-S



Navy Quilted Coverall BFIQ3000

# Insulated Outerwear

10 oz FR duck, 10 oz FR twill or 11.5 oz FR denim outer shell. 7.5 oz twill lining. 3 oz modacrylic insulation. Same fit as uninsulated jeans, bib overalls and coveralls.

*Waist: 30-58" evens. Inseam: 30-36" evens. Coverall: Chest: 34-62" evens. Inseam: 30-34" evens.*



③ (Brown ATPV 38 cal/cm<sup>2</sup>) ④ (Jeans & Navy ATPV 51 cal/cm<sup>2</sup>)



Flannel Lined Jeans JFRI2000  
Quilted Lined Jeans JFRQ2000



Brown Duck Quilted Bib BOBQ4000  
Navy Duck Quilted Bib BONQ4001

# Lab Coat

7.5 oz pre-washed FR Flameshield. Button down front with chest pocket and two hip pockets.

S-XL

 (ATPV 9.8 cal/cm<sup>2</sup>)



Lab Coat BLC314

# Welding Smock

7.5 oz pre-washed FR twill Flameshield. Snap front with hidden pocket on inside left chest.

S-XL

 (ATPV 9.8 cal/cm<sup>2</sup>)



Welding Smock GWS72



# Winter Headgear

Winter Liners: 100% FR knit cotton.

Knitted Caps: 60% modacrylic, 38% cotton & 2% anti static.

*One size fits most.*



**Black WL2004-B**



**Gray WL2004-G**



**Navy WL2004-N**



**Black BWH1**



**Navy NWH2**



**Heather Gray GWH5**



**Khaki KWH6**



**Orange OWH7**

# Winter Headgear

Fleece Hats: 60% modacrylic, 38% cotton & 2% anti static.

Winter Liners & Bandana: 100% FR cotton.

Balaclava: 60% modacrylic and 40% cotton.

*One size fits most.*



**Navy Fleece Hat NFH31**



**Black Fleece Hat BFH32**



**Navy Balaclava NBC21**



**Black Balaclava BBC22**



**Gray Zero Hood Winter Liner WL2003-G**



**Navy Zero Hood Winter Liner WL2003-N**



**Blue Bandana BBT1**

**Khaki Bandana KBT2**



# FR Welding Caps

100% FR twill cotton.  
Reversible in both short & high crown.  
*Sizes on page 49*

2 (ATPV 14 cal/cm<sup>2</sup>)



**High Crown WEL1007**  
Reversible Red/Navy & Khaki/Orange



**Short Crown WEL1008**  
Reversible Red/Navy & Khaki/Orange

# Welding Umbrellas

7 ft. vinyl and acrylic coated FR canvas.  
Heavy duty. Covers 6.5 ft.  
Lightweight aluminum frame & tilt.  
*3 colors available.*



**Red UFD7004**



**Orange UFR7000**



**Navy UFN7001**





# Welding Aprons

10 oz FR brown duck, 7.5 oz FR twill used for Red & Navy. Khaki available in 7.5 oz & 10 oz FR twill. 11.5 oz FR denim. Tie closure in back with adjustable neck strap. 5 pocket design.

*One size fits all.*

2 (7.5 oz FR twill 9.8 cal/cm<sup>2</sup>) (10 oz duck ATPV 13 cal/cm<sup>2</sup>)

(10 oz FR twill 14 cal/cm<sup>2</sup>)

(11.5 oz FR denim 20 cal/cm<sup>2</sup>)



**7.5oz Khaki  
KAFR50**

**7.5oz Navy  
NAFR51**

**7.5oz Red  
RAFR52**

**10oz Khaki  
KHFR53**

**10oz Brown Duck  
BAFR54**

**11.5oz Denim  
DAFR55**

# Rain Jacket

11.5 oz FR cotton with PVC coating. Non-conductive durable hardware. 360° degree visibility. Vented back with D ring access. Two pockets with flaps. Waterproof. ANSI 107-2010 Class 3 Level 2. S-6XL

 2 (ATPV 9.4 cal/cm<sup>2</sup>)



# Rain Bib Overall

11.5 oz FR cotton with PVC coating. Elasticized shoulder straps with non-conductive adjustable hardware. Waterproof. ANSI 107-2010 Class E. Class 3 Level 2 when worn with RYJ1000. S-6XL

 2 (ATPV 9.4 cal/cm<sup>2</sup>)





# Non FR Work Shirts

Two Tone: 10 oz pre-washed twill cotton & 10 oz duck. 11.5 oz pre-washed denim. 7.5 oz twill cotton in KC1550. Classic Shirts: Western style 10 oz twill & 11.5 oz denim. *M-3XL regular. M-5XL long.*



**Two Tone Non FR Shirts**  
Khaki/Black Duck KB1250  
Khaki/Denim KD1350  
Khaki/Brown Duck KB1450  
Khaki/Camo KC1550

**Classic Non FR Shirts**  
Khaki K950  
Denim D1150



# ***Non FR Hi Vis Vest***

Functional, lightweight safety vest made from 100% polyester & 2 inch reflective striping on front & back for 360 visibility.

Velcro fastenings.


*S-5XL*



**Non FR Hi Vis Vest HV-YV200**



**Back**



Solid Black BWC1016



# Welding Caps

100% cotton. Assorted styles available to order under #WEL1004 High Crown & #WEL1005 Short Crown. New styles & improved fit in all patterns below with individual item numbers.

*Sizes on page 49.*



**Blue Lightning BLNWC166**



**Crawfish CRFWC165**



**Camo Skulls CSKWC164**



**Solid White WWC1015**



**Dragons DRGWC162**



**American Eagle RSEWC163**

# Doo Rags

100% cotton. Assorted styles available to order under #DOO1006.  
New styles & improved fit + sweat band included in new patterns  
below with individual item numbers.

*One size fits all.*



**Blue Lightning BLNDR445**



**Crawfish CRFDR444**



**Camo Skulls CSKDR443**



**American Flag USADR440**



**Dragons DRGDR441**



**American Eagle RSEDE442**



# Size Charts

MEN'S		S	M	L	XL	2XL	3XL	4XL	5XL								
SHIRTS	CHEST	44	47	51	55	59	59	66	70								
	NECK	14.5	15.5	16.5	17.5	18.5	19	20	21								
	SLEEVE	23	24	25	26	26	27	27	28								
JACKETS	CHEST	49	51	53.5	57.5	61.5	65.5	69.3	71								
	NECK	15.5	16.5	17.5	18.5	19.5	20	21	22								
	SLEEVE (Regular)	24	24	24	24	25.5	25.5	25.5	25.5								
	SLEEVE (Long)	25	26	27	27	28	29	29	29								
	SHOULDER	19	20.5	22	23	24	25	26.5	27								
	BACK (Regular)	26.5	28	28.5	29	30	25.5	30	30.5								
	BACK (Long)	27.5	29	29.5	30	31	31	31.5	31.5								
COATS	CHEST	49	51	53.5	57.5	61.5	65.5	69.5	71								
	NECK	15.5	16.5	17.5	18.5	19.5	20	21	22								
	SLEEVE (Regular)	24	24	24	24	25.5	25.5	25.5	25.5								
	SLEEVE (Long)	25	25	26.5	26.5	27.5	27.5	28	28								
	SHOULDER	19	20	21	22	23	24.5	25.5	26.5								
	BACK (Regular)	29	30	31.5	31.5	32	33	34	34								
	BACK (Long)	30	31	32.5	32.5	33	34	35	35								
COVERALL **	Rasco Size	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	
	Chest	39.5	41	42	43	45.5	47.5	50	52	54.5	56.5	58.5	61	63	65	67	-
	Waist	34	35	36	37	40	42	44.5	47	50	52.5	55	57.5	59	61	63	-
LAB COAT	CHEST	45.5	48.5	51.5	55	58	59.5	63.5	66.5								
	NECK	15.70	16.5	17.3	18.1	18.9	19.7	20.5	21.3								
	SLEEVE	24	24	24	24	25.5	25.5	25.5	25.5								





MEN'S PANTS* (Waist)		30	31	32	33	34	35	36	37	38	40	42	44	46	48	50	52	54	56	58	
BIB*	Rasco Size	30	32	34	36	38	40	42	44	46	48	50	52	-	-	-	-				
	Waist	36	37.5	39.5	41.5	43	45	47	49	51	53	54.5	56	-	-	-	-				

WOMEN'S		S	M	L	XL	XXL	3XL						
PANTS	SIZE	0	1	3	5	7	9	11	13	15	17	—	—
	WAIST	30	31	32	33	34	35	36	38	40	42	—	—
	HIP	35.5	37	38	39	40.5	41.5	42.5	43.5	44.5	45	—	—
SHIRTS	CHEST	37	40	42.5	44.5	47	47.5						
	NECK	14.5	15.5	16.5	17.5	18.5	19						
	SLEEVE	24	25	26	27	27	28						

CAPS		6	6 <sup>1/8</sup>	6 <sup>1/4</sup>	6 <sup>3/8</sup>	6 <sup>1/2</sup>	6 <sup>5/8</sup>	6 <sup>3/4</sup>	6 <sup>7/8</sup>	7	7 <sup>1/8</sup>	7 <sup>1/4</sup>	7 <sup>3/8</sup>	7 <sup>1/2</sup>	7 <sup>5/8</sup>	7 <sup>3/4</sup>	7 <sup>7/8</sup>	8	8 <sup>1/8</sup>
CIRCUMFERENCE IN INCHES	Rasco Size	6	6 <sup>1/8</sup>	6 <sup>1/4</sup>	6 <sup>3/8</sup>	6 <sup>1/2</sup>	6 <sup>5/8</sup>	6 <sup>3/4</sup>	6 <sup>7/8</sup>	7	7 <sup>1/8</sup>	7 <sup>1/4</sup>	7 <sup>3/8</sup>	7 <sup>1/2</sup>	7 <sup>5/8</sup>	7 <sup>3/4</sup>	7 <sup>7/8</sup>	8	8 <sup>1/8</sup>
	CIRCUMFERENCE IN INCHES	18 <sup>7/8</sup>	19 <sup>1/4</sup>	19 <sup>5/8</sup>	20 <sup>1/32</sup>	20 <sup>7/16</sup>	20 <sup>3/4</sup>	21 <sup>1/8</sup>	21 <sup>5/8</sup>	21 <sup>31/32</sup>	22 <sup>3/8</sup>	22 <sup>3/4</sup>	23	23 <sup>3/16</sup>	23 <sup>15/16</sup>	24 <sup>5/16</sup>	24 <sup>3/4</sup>	25 <sup>1/8</sup>	25 <sup>1/2</sup>

Questions about sizing? Call 1-800-472-7265


\*Pants & Bibs Inseam Lengths Available: Short 30", Regular 32", Long 34", X-long 36"

\*\*Coverall Inseam Lengths Available: Short 30", Regular 32", Long 34"

**NECK:** Measure around the base of your neck

**CHEST:** Measure just under your arms & across your shoulder blades & level across the fullest part of your chest.

**INSEAM:** Measure pants that fit you well. Lay them flat with the front & back creases smooth. Measure the inside seam from the crotch to the bottom hem. If your measurements fall between a size, buy the larger size.



## ***Customization & Embroidery***

Through our customization program we can create uniforms and apparel to suit your needs including the modification of style, color & sizing. Prices vary according to the design and the number of garments ordered. Contact 1-800-472-7265 for more information.

Rasco FR clothing can be customized by adding a logo, name or any other desired design. Custom reflective trim is available in several color and width options that can be affixed to Rasco FR garments.

# Rasco Resources

## Purchasing Rasco FR

Rasco FR cannot be purchased directly by end users. For assistance locating an authorized dealer of Rasco FR, please visit our website at [www.rascofr.com](http://www.rascofr.com).

## Product Returns

For the latest information regarding Rasco FR product returns, please visit our website at [www.rascofr.com/return-policy](http://www.rascofr.com/return-policy).

## Garment Care

Please review the care label attached to your Rasco FR garment so that you can properly care for your garment.

## Authorized Rasco FR Dealers

Interested in becoming an authorized Rasco FR dealer? Contact us directly at 1-800-472-7265 for more information or fill out our Become a Distributor form on our website.

## Signs For Rasco FR Dealers

Rasco FR has hanging signs, rack signs, and banners available for authorized Rasco FR dealers. Contact us to have a sign or banner sent to you with your next order.

## Rasco FR Contact Information


RASCO FR, INC  
1707 N. Flannery Road  
Baton Rouge, LA 70815  
T: 225.273.3163 or 800.472.7265  
F: 888.252.1088 or 225.273.3176  
[sales@rascofr.com](mailto:sales@rascofr.com)

Find us online at [www.rascofr.com](http://www.rascofr.com)  
[facebook.com/rascofr](https://www.facebook.com/rascofr)  
Instagram & Twitter @RascoFR



**Rasco FR Stickers RFS234**





[www.rascofr.com](http://www.rascofr.com)

